

Material Safety Data Sheet**U.S. Department of Labor**

May be used to comply with

Occupational Safety and Health Administration

OSHA's Hazard Communication Standard, 29 CFR 1910.1200

(Non-Mandatory Form)

Standard must be consulted for specific requirements.

Form Approved OMB No. 1218-0072

IDENTITY (As Used on Label and List)
Black Scratch Board Ink (3339)

Note: Blank spaces are not permitted. If any item is not applicable, or no information is available, the space must be marked to indicate that.

Section I Manufacturer's Name

AMPERSAND ART SUPPLY

Emergency Telephone Number

800-822-1939

Address (Number, Street, City, State, and ZIP Code)

1235 S. LOOP 4, STE. 400 BUDA, TX 78610

Telephone Number for Information

800-822-1939

Date Prepared: **May 11, 2007**

Signature of Preparer (optional)

Section II - Hazard Ingredients/Identity InformationCommon Name(s):
OSHA PELACGIH
TLVOther Limits
Recommended

%(optional)

Hazardous Components (Specific Chemical Identity; Common Name(s))

Product labeling conforms to ASTM D-4236. Approved for the AP seal as per the Art & Craft Materials Institute, Inc. (ACMI). Note: This product has been certified to be non-toxic. This product has been evaluated by a Toxicologist only as per intended useage. **DO NOT DEVIATE FROM INTENDED USE.**

Section III - Physical/Chemical Characteristics

Boiling Point	Above 212°F	Specific Gravity (H ₂ O = 1)	1.04
Vapor Pressure (mm Hg.)	N/A	Melting Point	<32°F
Vapor Density (AIR = 1)	Less than 1	Evaporation Rate (Butyl Acetate = 1)	Less than 1
Solubility in Water	Infinite	Appearance and Odor	Low viscosity with slight odor

Section IV - Fire and Explosion Hazard Data

Flash Point (Method Used) N/A	Flammable Limits N/A	LEL N/A	UEL N/A
Extinguishing Media N/A			
Special Fire Fighting Procedures Wear self-contained breathing apparatus (pressure-demand, MSHA/NIOSH approved or equivalent) and full protective gear.			
Unusual Fire and Explosion Hazards Material can spatter above 212°F. Film can burn.			

(Reproduce locally)

OSHA 174, Sept. 1985

Section V - Reactivity Data

Black Scratch Board Ink (3339)

Page 2

Stability	Unstable	Stable ✓	Conditions to Avoid Onset of decomposition is 350°F
Incompatibility (Materials to Avoid) N/A			
Hazardous Decomposition or Byproducts Oxides of carbon and nitrogen.			
Hazardous Polymerization	May Occur	Will Not Occur ✓	Conditions to Avoid N/A

Section VI - Health Hazard Data

Route(s) of Entry:	Inhalation? N/A	Skin? N/A	Ingestion? N/A
Health Hazards (Acute and Chronic) N/A			
Carcinogenicity: N/A	NTP? N/A	IARC Monographs? N/A	OSHA Regulated? N/A
Signs and Symptoms of Exposure N/A			
Medical Conditions Generally Aggravated by Exposure N/A			
Emergency and First Aid Procedures Contact with eyes may cause mild irritation: Flush with water.			

Section VII - Precautions for Safe Handling and Use

Steps to Be Taken in Case Material is Released or Spilled Floor may be slippery; use care to avoid falling. For large quantities (quart or more) transfer to containers for recovery or disposal. Keep out of municipal sewers and open bodies of water.
Waste Disposal Method Incineration for large quantities (quart or more). Observe all Federal, State and local laws concerning health and environment.
Precautions to Be taken in Handling and Storing Keep from freezing-product may coagulate
Other Precautions N/A

Section VIII - Control Measures

Respiratory Protection (Specify Type) None required with adequate ventilation & normal usage conditions.			
Ventilation	Local Exhaust N/A	Special N/A	
	Mechanical (General) N/A	Other N/A	
Protective Gloves Impervious	Eye Protection Safety Glasses or goggles		
Other Protective Clothing or Equipment N/A			
Work/Hygienic Practices Use protective cream where excessive skin contact is likely.			

February 7, 2012

Re: MSDS Non-requirement letter

Dear Valued Customer,

Please note that the products supplied by Ampersand Art Supply listed below can each be defined as an "article" and are not considered to be or to contain hazardous chemicals based on evaluations made by our company under the OSHA Hazard Communication Standard, 29 CFR 1910.1200. Therefore, no Material Safety Data Sheet is required when using these products as intended under normal use.

The U.S. Department of Labor, division of Occupational Safety and Health Administration defines "**Article**" as a manufactured item other than a fluid or particle:

- (i) which is formed to a specific shape or design during manufacture
- (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and
- (iii) which under normal conditions of use, does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical (as determined under paragraph (d) of section 1910.1200, and does not pose a physical hazard or health risk.

Products included: Claybord™, Aquabord™, Scratchbord™, Pastelbord™, Hardbord™, Encausticbord™, Gessobord™, Scratchbord™ Tools, Artist Panel™, Stampbord™ and Oil-free Steel Wool. MSDS for Scratchbord/Claybord Inks, although non-toxic, is required and will be supplied under separate cover.

Using these products for purposes other than intended or under abnormal conditions of use ie cutting and creating wood dust, or generating large amounts of particulate matter during clay surface removal may cause eye or skin irritation, but pose no serious health risks over extended periods of time. Contact us if further documentation is required in this instance.

We trust this information meets with your requirements; however, should you have any additional questions, please do not hesitate to contact us.

Ampersand Art Supply, Inc.