# **iLOVETOCREATE**<sup>®</sup>





A DUNCAN ENTERPRISES COMPANY

## **1. COMPANY AND PRODUCT IDENTIFICATION**

## **iLoveToCreate**

A Duncan Enterprises Company 5673 East Shields Avenue Fresno, CA 93727 559-291-4444 559-291-9444 (Fax)

#### **EMERGENCY TELEPHONE NUMBERS** Health Emergencies: 559-291-4444 7:00 am - 3:30 pm Pacific Std. Time **Spill and Off-Hour Health Emergencies:** 800-424-9300 U.S. and Canada 703-527-3887 Outside U.S. and Canada (Collect)

Product Name: Product Description: **TULIP 3D FASHION PAINT Dimensional Fabric Paint** 

#### 2. HAZARDS IDENTIFICATION

<b>HMIS Hazard Ratings</b>	for Product	Rating Scale:
Health	1	0 = Minimal
Flammability	0	1 = Slight
Reactivity	0	2 = Moderate
Personal Protection	See Section 8	3 = Serious 4 = Severe * - Chronic Effecto
		* = Chronic Effects

#### 3. COMPOSITION / INGREDIENT INFORMATION

The ingredients in this formulation are a trade secret. All ingredients in the formula are nonhazardous, unless specified in Sections 2 and 15.

#### **4. FIRST AID MEASURES**

Eye Contact:	Flush eyes with large amounts of water until irritation subsides. Consult a physician if irritation persists.	
Skin Contact:	Wash affected skin areas thoroughly with soap and water. Consult a physician if irritation persists.	
Inhalation:	Move subject to fresh air.	
Ingestion:	If swallowed, give two glasses of water to drink. Consult a physician. Never give anything by mouth to an unconscious person.	

#### **5. FIRE FIGHTING MEASURES**

Autoignition Temperature:	Unknown
Flash Point:	Not Applicable
Upper Explosive Limit (%):	Not Applicable
Lower Explosive Limit (%):	Not Applicable
Extinguisher Media:	CO2, Dry Chemical, Foam – Use extinguishing media appropriate for surrounding fire
Special Firefighting Procedures:	Not Applicable
Fire & Explosion Hazards:	Not Applicable
NFPA Flammability Hazard Class:	0 = Insignificant

## iLoveToCreate Safety Data Sheet - Tulip 3D Fashion Paint

# 6. ACCIDENTAL RELEASE MEASURES

Spill or Leak Procedures:	Spills should be taken up with suitable absorbent material and placed in containers. Spill areas can be washed with water; collect wash water for approved disposal. Do not flush to storm sewer or waterway.
	· · · · · · · · · · · · · · · · · · ·
For safety and environ	mental precautions, please review entire Safety Data Sheet for necessary
information.	

# 7. HANDLING AND STORAGE

Storage Temperature:	40° - 100°F
Handling / Storage:	Protect from freezing; keep container sealed when not in use.
Ventilation Requirements:	General

#### 8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Conditions Under Which Personal Protective Equipment Required:	Normal work conditions, maintenance / repair.
Eye Protection Requirements:	Wear safety glasses with side shields.
Glove Requirements:	Gloves not normally required for foreseeable conditions of use.
Clothing Requirements:	Protective clothing is normally not necessary for foreseeable conditions of use.
Change / Removal of Clothing:	None required
Wash Requirements:	None
Respirator Requirements:	None required under normal handling conditions.
Ventilation Requirements:	General

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Pure Material or Mixture:	Mixture
Physical Form:	Viscous liquid
Appearance / Physical Description:	Colored viscous liquid; slight odor
pH:	8 - 9
Boiling Point:	> 212°F
Melting / Freezing Point:	< 32°F
Odor Threshold:	Not Applicable
Solubility in Water:	Miscible
Partition Coefficient (n-octanol/water):	Not Applicable
Specific Gravity (Water = 1):	0.84 – 1.08
Bulk Density:	7.0 – 9.0 lb / gal
Volatiles:	>50% / wt
Vapor Pressure:	17.5 mm Hg @ 20°C (68°F)
Evaporation Rate (Water = 1):	0.62
Vapor Density (Air = 1):	1
Volatile Organic Compounds:	150 g / l
Autoignition Temperature:	Unknown
Flash Point:	Not Applicable
Oxidizing Properties:	Not Applicable

#### iLoveToCreate Safety Data Sheet – Tulip 3D Fashion Paint

# **10. STABILITY AND REACTIVITY**

Stability:	Stable
Incompatibilities:	Materials that react with water
NFPA Reactivity Hazard Class:	0 = Insignificant
Hazardous Decomposition Products:	Carbon monoxide, carbon dioxide
Hazardous Polymerization:	Will not occur

#### 11. TOXICOLOGICAL INFORMATION

Acute (Short-Term) Effects of Exposure	
Route of Entry	
Acute Effects – Eye:	Slight, transient
Acute Effects – Skin Contact:	No hazard in normal industrial use
Acute Effects – Inhalation:	No hazard in normal industrial use
Acute Effects – Ingestion:	No hazard in normal industrial use

Chronic (Long-Term) Effects of Exposure	
Effect of Chronic	This product should be considered non – hazardous and has no
Exposure:	known chronic effects.
Target Organs:	Not applicable
Carcinogenicity:	None

#### **12. ECOLOGICAL INFORMATION**

#### No Applicable Data

#### 13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods:	Waste disposal should be in accordance with existing Federal, State, and Local environmental regulations.
Empty Container Warnings:	Empty containers may contain product residue; follow SDS and label warnings even after they have been emptied.

## **14. TRANSPORT INFORMATION**

U.S. Department of Transportation InformationDOT Shipping Name:Paints or Stains 149980 Sub. 2DOT Hazard Class:Non-hazardousDOT Reportable Quantity:None

<b>United Nations Information</b>	
U.N. Number:	None
U.N. Class:	None

# iLoveToCreate Safety Data Sheet - Tulip 3D Fashion Paint

# **15. REGULATORY INFORMATION**

TSCA:	All components are on the TSCA Inventory	
FDA:	21CFR175.105	
SARA/Title III:	This product contains no substances at or above the reported threshold under Section 313, based on available data.	
CONFORMS TO NONTOXIC ASTM D-4236	Products bearing the Nontoxic Product Seal are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).	

# **16. OTHER INFORMATION**

Table of Abbreviations		
ACGIH	American Conference of Governmental Industrial Hygienists	
ANSI	American National Standards Institute	
ASTM	American Society for Testing Materials	
°C	Degrees Centigrade	
CAS	Chemical Abstract Service	
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act	
CFR	Code of Federal Regulations	
CPR	Controlled Products Regulations	
DOT	Department of Transportation	
EPA	Environmental Protection Agency	
°F	Degrees Fahrenheit	
FDA	Food & Drug Administration	
g/l	Grams per liter	
DOT	Department of Transportation	
EPA	Environmental Protection Agency	
°F	Degrees Fahrenheit	
FDA	Food & Drug Administration	
g/l	Grams per liter	
Hg	Mercury	
HMIS	Hazardous Materials Identification System	
IARC	International Agency for Research on Cancer	
LD	Lethal Dose	
mg / kg	Milligram per kilogram	
mm	Millimeter	
MSHA	Mine Safety and Health Administration	
N/A	Not Applicable	
NFPA	National Fire Protection Association	
NIOSH	National Institute for Occupational Safety and Health	
NTP	National Toxicology Program	
OSHA	Occupational Safety and Health Administration	
ppm	Parts per million	
SARA	Superfund Amendment and Reauthorization Act	
SDS	Safety Data Sheet	
STEL	Short-Term Exposure Limit	

16. OTHER INFORMATION (Continued)			
Table of Abbreviations (Continued)			
TSCA	Toxic Substances Control Act		
TWA	Time - Weighted Average		
U.N.	United Nations		
WHMIS	Workplace Hazardous Materials Information System		
>	Greater Than		
<	Less Than		

Creation Date:	01/15/09
Revision Date:	03/13/15
<b>Technical Contact:</b>	Frank Peters
	Research & Development Manager
	iLoveToCreate
	A Duncan Enterprises Company
	5673 East Shields Avenue
	Fresno, CA 93727
	559-291-4444
	559-291-9444 (Fax)

## <u>Disclaimer</u>

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.