iLOVETOCREATE®





1. COMPANY AND PRODUCT IDENTIFICATION

iLoveToCreate

A Duncan Enterprises Company 5673 East Shields Avenue Fresno, CA 93727 559-291-4444 559-291-9444 (Fax)

EMERGENCY TELEPHONE NUMBERS Health Emergencies: 559-291-4444 7:00 am – 3:30 pm Pacific Std. Time Spill and Off-Hour Health Emergencies: 800-424-9300 U.S. and Canada 703-527-3887 Outside U.S. and Canada (Collect)

Product Name: Product Description:

TULIP ONE-STEP FASHION DYES (1 of 2 SDS's) Reactive Dyes

2. HAZARDS IDENTIFICATION

HM	IS Hazard Ratings for I	Prod	luct	Rating Scale:
	Health	1		0 = Minimal
	Flammability	1		1 = Slight
	Reactivity	0		2 = Moderate
	Personal Protection	Е		3 = Serious
E = Safety Glasses, Gloves, and Dust Mask		st Mask	4 = Severe * = Chronic Effects	

3. COMPOSITION / INGREDIENT INFORMATION

The ingredients in this formulation are a trade secret. All ingredients in the formula are non-hazardous, unless specified in Sections 2 and 15.

4. FIRST AID MEASURES

Eye	Wash immediately with large amounts of water, occasionally lifting the upper and
Contact:	lower lids until no evidence of product remains. Get medical attention. Do not wear contact lenses while handling.
Skin Contact:	Wash immediately with soap and plenty of water. If a temporary skin reaction occurs, it should be treated as allergic contact dermatitis. Launder contaminated clothing before reuse.
Ingestion:	If swallowed, do not induce vomiting. Get medical attention. Qualified medical personnel should remove the product by gastric lavage and catharsis.
Inhalation:	If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

5. FIRE FIGHTING MEASURES

Flash Point:	Not Applicable
Extinguisher	Water, CO2, Dry Chemical, Foam – Use extinguishing media appropriate for
Media:	surrounding fire
Special	Firefighters should be equipped with protective clothing and self-contained
Firefighting	breathing apparatus to protect against potentially toxic and irritating fumes. In
Procedures:	case of fire or explosion, keep unnecessary people away. Isolate hazard area
	and any entry. Isolate hazard area and any entry. Stay upwind, out of low
	areas, and ventilate closed spaces before entering.

iLoveToCreate Safety Data Sheet – Tulip One-Step Fashion Dyes

6. ACCIDENTAL RELEASE MEASURES

Spill or Leak
Procedures:Spills should be taken up with suitable absorbent material and placed in
containers. Spill areas can be washed with water; collect wash water for
approved disposal. Do not flush to storm sewer or waterway.For safety and environmental precautions, please review entire Safety Data Sheet for necessary
information.

7. HANDLING AND STORAGE

Store in a dry place, away from excessive heat, in original or similar waterproof container. Reseal container immediately after use. Avoid unnecessary contact.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Eye Protection:	Protective eye goggles recommended
Skin Protection:	This material may be absorbed via the dermal route if prolonged or widespread skin contact occurs. Skin contact should be avoided by wearing protective clothing. Long sleeve shirts, pants, rubber gloves, and boots are recommended. Additional protection such as impervious suits is recommended when the potential for dermal contact is significant. Wash hands and face before eating and drinking.
Respiratory Protection:	Use a NIOSH approved dust respirator.
Ventilation:	Use local ventilation if dusting is a problem.
Other:	Emergency showers and eye wash stations should be available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Various Colored Powders
Odor:	Odorless
Solubility in Water:	Soluble
pH:	N/A

10. STABILITY AND REACTIVITY

Stability:	Stable
Incompatibilities:	None known
Hazardous Polymerization:	Will not occur
Hazardous Decomposition	Oxides of carbon, nitrogen and sulfur; chlorine
Products:	compounds

11. TOXICOLOGICAL INFORMATION

Animal Toxicity Oral:	No Data
Fish, LC50:	No Data
Eye Effects:	No Data
Skin Effects:	No Data
Human Effects of	Contact with eyes and skin may result in irritation. Ingestion may result
Overexposure:	in gastric disturbances. Inhalation may cause respiratory irritation.

iLoveToCreate Safety Data Sheet - Tulip One-Step Fashion Dyes

12. ECOLOGICAL INFORMATION

No Applicable Data

13. DISPOSAL CONSIDERATIONS

Waste Disposal	Waste disposal should be in accordance with existing Federal, State,
Methods:	and Local environmental regulations.
Empty Container	Empty containers may contain product residue; follow SDS and label
Warnings:	warnings even after they have been emptied.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Information		
DOT Shipping Name:	Non-hazardous	
DOT Hazard Class:	Non-hazardous	
DOT Reportable Quantity:	None	
FRT Class Package:	Dye Material	

United Nations Information	
U.N. Number:	None
U.N. Class:	None

15. REGULATORY INFORMATION

TSCA:	All components are on the TSCA Inventory
FDA:	21CFR175.105
SARA/Title III:	This product contains no substances at or above the reported threshold under Section 313, based on available data.
CONFORMS TO NONTOXIC ASTM D-4236	Products bearing the Nontoxic Product Seal are certified in a program of toxicological evaluation by a nationally recognized toxicologist to contain no materials in sufficient quantities to be toxic or injurious to humans or to cause acute or chronic health problems. These products are certified to be labeled in accordance with the voluntary chronic hazard labeling standard ASTM D-4236. In addition, there is no physical hazard as defined within 29 CFR Part 1910.1200(c).

16. OTHER INFORMATION

	Table of Abbreviations
ACGIH	American Conference of Governmental Industrial Hygienists
ANSI	American National Standards Institute
ASTM	American Society for Testing Materials
°C	Degrees Centigrade
CAS	Chemical Abstract Service
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CFR	Code of Federal Regulations
CPR	Controlled Products Regulations
DOT	Department of Transportation
EPA	Environmental Protection Agency

	Table of Abbreviations (Continued)		
°F	Degrees Fahrenheit		
FDA	Food & Drug Administration		
g/l	Grams per liter		
DOT	Department of Transportation		
EPA	Environmental Protection Agency		
°F	Degrees Fahrenheit		
FDA	Food & Drug Administration		
g/l	Grams per liter		
Ĥg	Mercury		
HMIS	Hazardous Materials Identification System		
IARC	International Agency for Research on Cancer		
LD	Lethal Dose		
mg / kg	Milligram per kilogram		
mm	Millimeter		
SDS	Safety Data Sheet		
MSHA	Mine Safety and Health Administration		
N/A	Not Applicable		
NFPA National Fire Protection Association			
NIOSH National Institute for Occupational Safety and Health			
NTP			
OSHA	OSHA Occupational Safety and Health Administration		
ppm	Parts per million		
SARA	Superfund Amendment and Reauthorization Act		
STEL	Short-Term Exposure Limit		
TSCA	Toxic Substances Control Act		
TWA	Time - Weighted Average		
U.N.	United Nations		
WHMIS	Workplace Hazardous Materials Information System		
>	Greater Than		
<	Less Than		

16. OTHER INFORMATION (Continued)

Creation Date:	01/15/09
Revision Date:	03/13/15
Technical Contact:	Frank Peters
	Research & Development Manager
	iLove⊤₀Create
	A Duncan Enterprises Company
	5673 East Shields Avenue
	Fresno, CA 93727
	559-291-4444
	559-291-9444 (Fax)
	559-291-9444 (Fax)

<u>Disclaimer</u>

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.

iLOVETOCREATE[®]





A DUNCAN ENTERPRISES COMPANY

1. COMPANY AND PRODUCT IDENTIFICATION

iLoveToCreate	
A Duncan Enterprises Company	
5673 East Shields Avenue	
Fresno, CA 93727	
559-291-4444	
559-291-9444 (Fax)	

EMERGENCY TELEPHONE NUMBERS Health Emergencies: 559-291-4444 7:00 am – 3:30 pm Pacific Std. Time Spill and Off-Hour Health Emergencies: 800-424-9300 U.S. and Canada 703-527-3887 Outside U.S. and Canada (Collect)

TULIP ONE-STEP FASHION DYE SODIUM BICARBONATE (2nd of 2 **Product Name:** SDS's) Meylon; Soda; Monosodium carbonate; Sodium hydrogen carbonate; Sodium Synonyms:

acid carbonate; Bicarbonate of soda; Baking soda; Soda mint; NaHCO3

2. HAZARDS IDENTIFICATION

Potential Health Effects		
Eye:	Contact may cause mild irritation, redness, and pain	
Skin Contact:	No adverse effects expected	
Ingestion:	Material is practically non-toxic. Small amounts (1-2 tablespoonfuls) swallowed during normal handling operations are not likely to cause injury as long as the stomach is not overly full; swallowing larger amounts may cause injury (see note in section 4).	
Inhalation:	High concentrations of dust may cause coughing and sneezing.	
Subchronic Effects / Carcinogenicity:	Based on published studies on its effects in animals and humans, sodium bicarbonate is not teratogenic or genotoxic. Only known subchronic effect is that of a marked systemic alkalosis. Not classified as carcinogenic by NTP, IARC, OSHA, ACGIH or NIOSH.	

HMIS Hazard Ratings for Product		Rating Scale:
Health	1	0 = Minimal
Flammability	1	1 = Slight
Reactivity	1	2 = Moderate
Personal Protection	See	3 = Serious
	Section 8	4 = Severe
Section 6		* = Chronic Effects

NFPA Hazard Ratings for Product Rating Scale:				
	Health	1		0 = Minimal
	Flammability	0		1 = Slight
	Reactivity	0		2 = Moderate
	, , , , , , , , , , , , , , , , , , ,		1	3 = Serious
				4 = Severe

3. COMPOSITION / INGREDIENT INFORMATION

Ingredient	CAS Number	Percent	Hazardous
Sodium	144-55-8	99 —	Yes
Bicarbonate		100	
Not hazardous under OSHA Standard 29 CFR 1910.1200			
Not a WHMIS controlled substance			

4. FIRST AID MEASURES

Eye Contact:	Check for and remove contact lenses. Flood eyes with clean flowing water, low Pressure and lukewarm (not hot) if possible, occasionally lifting eyelids		
Skin Contact:	Wash affected area with soap and water. If irritation occurs and persists, obtain medical attention.		
Inhalation:	Remove to fresh air; get medical attention for any breathing difficulty.		
Ingestion:	If large amounts of this material are swallowed, do not induce vomiting. Administer water if person is conscious. Never give anything by mouth to an unconscious person.		
Note to Physician:	Large doses may produce systemic alkalosis and expansion in extracellular fluid volume with edema.		

5. FIRE FIGHTING MEASURES

Flammable Properties		
Flash Point:	Not combustible	
Flammable Limits:	LFL: Not applicable UFL: Not applicable	
Extinguishing Media:	Non-combustible material. Use extinguishing media appropriate for surrounding fire.	
Firefighting Instructions:	Carbon dioxide may be generated making necessary the use of a self-contained breathing apparatus (SCBA) and full protective equipment (Bunker Gear). Carbon dioxide is an asphyxiant at levels over 5% w/w. Sodium oxide, another thermal decomposition product existing at temperatures above 1564° F is a respiratory, eye, and skin irritant. Avoid inhalation, eye and skin contact with sodium oxide dusts.	
Unusual Fire and Explosion Hazards:	None Known	

6. ACCIDENTAL RELEASE MEASURES

Procedure for	Ventilate area of leak or spill. Wear appropriate personal protective equipment
Release or	as specified in Section 8: Spills. Sweep up and containerize for reclamation or
Spill:	disposal. Vacuuming or wet sweeping may be used to avoid dust dispersal.
•	Small amounts of residue may be flushed to sewer with plenty of water.

7. HANDLING AND STORAGE

Handling:	Observe all warnings and precautions listed for the product.
Storage:	Keep in a tightly closed container, stored in a cool, dry, ventilated area. Protect
_	against physical damage; containers of this material may be hazardous when empty
	since they can retain product residues (dust, solids).

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Airborne Exposure Limits:	None established
Ventilation:	In general, dilution ventilation is a satisfactory health hazard control for this substance. However, if conditions of use create discomfort to the worker, a local exhaust system should be considered.
Personal Respirators:	For conditions of use where exposure to dust or mist is apparent and engineering controls are not feasible, a particulate respirator (NIOSH type N95 or better filters) may be worn. If oil particulates (e.g. lubricants, cutting fluids, glycerine, etc.) are present, use a NIOSH type R or P filter. For emergencies or instances where the exposure levels are not known, use a full-face positive-pressure, air-supplied respirator. Warning – Air purifying respirators do not protect workers in oxygen-deficient atmospheres.
Skin Protection:	Wear protective gloves and clean body-covering clothing
Eye Protection:	Use chemical safety goggles; maintain eye wash fountain and quick- drench facilities in work area.

9. PHYSICAL AND CHEMICAL PROPERTIES

Molecular Weight:	84.01
Chemical Formula:	NaHCO3
Melting/Freezing Point:	60° C (140° F)
Boiling Point:	N/A
Vapor Pressure:	N/A
Vapor Density:	N/A
Appearance and State:	White crystalline powder
Odor:	Odorless
Specific Gravity (Water = 1):	2.159
Solubility in Water:	7.8 g / 100 cc water @ 18°C (64° F)
Percent Volatiles (21° C (70° F)):	0.0
Evaporation Rate:	N/A
pH (aqueous solution):	8.3 (0.1% molar @ 25°C (77°F))
Flash Point:	N/A
Autoignition Temperature:	N/A

10. STABILITY AND REACTIVITY

Stability: Hazardous Decomposition Products:	Stable under ordinary conditions of use and storage. Gaseous carbon dioxide
Incompatibilities:	Reacts with acids to form carbon dioxide. Dangerous reaction with monoammonium phosphate or a sodium- potassium alloy
Hazardous Polymerization:	Will not occur
Conditions to Avoid:	Heat, moisture, incompatible materials

11. TOXICOLOGICAL INFORMATION

Eye Effects:	The material was minimally irritating to unwashed eyes and practically non- irritating to washed eyes (rabbits).
Skin Effects:	Not a skin irritant or dermally toxic. Not a contact sensitizer.
Acute Oral Effects:	Acute Oral-rat LD50 = 7.3 g/kg.
Acute Inhalation:	LC50 (rat) > 4.74 mg/l.

Carcinogenicity		NTP Carcinogen		IARC
Ingredient	CAS Number	Known	Anticipated	Category
Sodium Bicarbonate	144-55-8	No	No	None

12. ECOLOGICAL INFORMATION

Aquatic Toxicity	Daphnids: Bluegill: Rainbow Trout:	EC50 = 4100 mg/l LC50 = 7100 mg/l LC50 = 7700 mg/l
Persistence:	This product is to persist in the	
Bioaccumulation:	This product is to bioaccumula	not expected

13. DISPOSAL CONSIDERATIONS

WasteWhatever cannot be saved for recovery or recycling should be managed in an
appropriate and approved waste disposal facility. Processing, use or
contamination of this product may change the waste management options. State
and local disposal regulations may differ from federal disposal regulations.
Dispose of container and unused contents in accordance with federal, state and
local requirements.

14. TRANSPORT INFORMATION

U.S. Department of Transportation Information		
DOT Shipping Name:	Not regulated	
Technical Shipping Name:	Sodium Bicarbonate	
DOT Hazard Class:	None	
UN / NA Number:	None	
Hazardous Substance / RQ:	None	
DOT Label:	None	
ICAO/IATA:	Not Regulated	

Safety Data Sheet – Tulip One-Step Fashion Dye Sodium Bicarbonate (2nd of 2 SDS's)

15. REGULATORY INFORMATION				
Chemical Inventory Status – Part 1				
Ingredient	TSCA	EC	Japan	Australia
Sodium Bicarbonate (144-55-8)	Yes	Yes	Yes	Yes
Chemical Inventory Status – Part 2				Canada
Ingredient	Korea	DSL	NDSL	Phil.
Sodium Bicarbonate (144-55-8)	Yes	Yes	No	Yes
Federal, State and International Reg	ulations – Part	:1		
	SAR	A 302	SAR	A 313
				Chemical
Ingredient	RQ	TPQ	List	Category
Sodium Bicarbonate (144-55-8)	No	No	No	No

Federal, State and International Regulations – Part 2			
RCRA			
Ingredient	CERCLA	261.33	TSCA 8 (D)
Sodium Bicarbonate (144-55-8)	No	No	No

Chemical Weapons Convention:	No TSCA	12(b): No	CDTA: No
SARA 311/312: Acute: No	Chronic: No	Fire: No	Pressure: No
Reactivity: No (Pure / Solid)			
Australian Hazchem Code: None	e allocated		
Poison Schedule: None allocate	ed		
WHMIS: This SDS has been prepared according to the hazard criteria of the controlled products			
regulations (CPR) and the SDS	contains all of th	ne information rec	quired by the CPR.

16. OTHER INFORMATION

	Table of Abbreviations
ACGIH	American Conference of Governmental Industrial Hygienists
ANSI	American National Standards Institute
ASTM	American Society for Testing Materials
°C	Degrees Centigrade
CAS	Chemical Abstract Service
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act
CFR	Code of Federal Regulations
DOT	Department of Transportation
EPA	Environmental Protection Agency
°F	Degrees Fahrenheit
FDA	Food & Drug Administration
g/l	Grams per liter
DOT	Department of Transportation
EPA	Environmental Protection Agency
°F	Degrees Fahrenheit
FDA	Food & Drug Administration
g/l	Grams per liter
Hg	Mercury
HMIS	Hazardous Materials Identification System

16. OTHER INFORMATION (Continued)

	Table of Abbreviations (Continued)		
IARC	International Agency for Research on Cancer		
LD	Lethal Dose		
mg / kg	Milligram per kilogram		
mm	Millimeter		
SDS	Safety Data Sheet		
MSHA	Mine Safety and Health Administration		
N/A	Not Applicable		
NFPA	National Fire Protection Association		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program		
OSHA	Occupational Safety and Health Administration		
ppm	Parts per million		
SARA	Superfund Amendment and Reauthorization Act		
STEL	Short-Term Exposure Limit		
TSCA	Toxic Substances Control Act		
TWA	Time - Weighted Average		
U.N.	United Nations		
WHMIS	Workplace Hazardous Materials Information System		
>	Greater Than		
<	Less Than		

Creation Date:	01/16/09
Revision Date:	03/13/15
Technical Contact:	Frank Peters
	Research & Development Manager
	iLoveToCreate
	A Duncan Enterprises Company
	5673 East Shields Avenue
	Fresno, CA 93727
	559-291-4444
	559-291-9444 (Fax)

Disclaimer

The information given and the recommendations made herein apply to our product(s) alone and not combined with any other product(s). Such are based on our research and on data from other reliable sources and are believed to be accurate. No guarantee of accuracy is made. It is the purchaser's responsibility before using any product to verify this data under their own operating conditions and to determine whether the product is suitable for their purposes.