

# SAFETY DATA SHEET

7/7/2015

## SECTION I - IDENTIFICATION

### Material Name

SPEEDBALL W/S BLOCK PRINTING INK

### Manufacturer Information

Speedball Art Products Co.  
P.O. Box 5157  
2301 Speedball Road  
Statesville, NC 28677  
Phone: 704-978-4166  
Fax: 1-704-838-1472  
Email: budmartin@speedballart.com

For transportation emergencies only call: 1-800-898-7224

For health emergencies call the Poison Control Center: 1-800-222-1222

## SECTION II - HAZARDS IDENTIFICATION

**Classification in accordance with paragraph (d) of 29 CFR 1910.1200.**

There are no GHS label elements.

PRIMARY ROUTES OF ENTRY: INHALATION, INGESTION, EYE, SKIN

EFFECTS AND SYMPTOMS OF ACUTE EXPOSURE: NONE EXPECTED

EFFECTS AND SYMPTOMS OF CHRONIC EXPOSURE: NONE EXPECTED

CARCINOGEN LISTING: NTP: **NO** IARC: **NO** OSHA: **NO**

SEE SECTION III FOR COMPONENTS AFFECTED

MEDICAL CONDITIONS USUALLY AGGRAVATED BY OVER EXPOSURE TO THIS PRODUCT: NONE

## SECTION III - COMPOSITION / INFORMATION ON HAZARDOUS INGREDIENTS

<u>Hazardous Ingredients</u>	<u>CAS/EC #</u>	<u>PEL/TLV (MG/M#)</u>	<u>Max % Weight</u>	<u>NTP</u>	<u>IARC</u>
None					

## SECTION IV - FIRST AID MEASURES

FIRST AID MEASURES: NONE REQUIRED. NO ACUTE HEALTH EFFECTS EXPECTED.

## SECTION V - FIRE FIGHTING MEASURES

FLASH POINT (METHOD): N/A

AUTOIGNITION TEMPERATURE: N/A

EXPLOSION LIMITS IN AIR (% BY VOLUME): NOT EXPLOSIVE

EXTINGUISHING MEDIA: NO SPECIAL MEDIA REQUIRED  
FIRE FIGHTING PROCEDURES: NO SPECIAL FIRE FIGHTING PROCEDURES REQUIRED  
UNUSUAL FIRE & EXPLOSION HAZARDS: NOT COMBUSTIBLE

## **SECTION VI - ACCIDENTAL RELEASE MEASURES**

STEPS TO BE TAKEN IN CASE A MATERIAL IS SPILLED: Clean up in accordance with all applicable regulations. Absorb spillage with non-combustible, absorbent material. For waste disposal, see Section XIII

## **SECTION VII - HANDLING AND STORAGE**

PRECAUTIONS TO BE TAKEN DURING STORAGE AND HANDLING: Good industrial hygiene practice requires that exposure be maintained below the TLV. This is preferably achieved through the provision of adequate ventilation. When exposure cannot be adequately controlled in this way, personal respiratory protection should be employed.

## **SECTION VIII - EXPOSURE CONTROLS / PERSONAL PROTECTION**

RESPIRATORY PROTECTION AND SPECIAL VENTILATION REQUIREMENTS: NONE REQUIRED  
OTHER PROTECTIVE EQUIPMENT (GLOVES, GOGGLES, ETC): NONE REQUIRED  
WORK/HYGIENE PRACTICES: NONE REQUIRED  
ENGINEERING CONTROLS: NONE REQUIRED

## **SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES**

BOILING POINT: N/A	MELTING POINT: N/A
VAPOR PRESSURE: N/A	
SPECIFIC VAPOR DENSITY (AIR=1): N/A	SPECIFIC GRAVITY: N/A
SOLUBILITY IN WATER: N/A	REACTIVITY IN WATER: NON-REACTIVE

## **SECTION X - STABILITY AND REACTIVITY**

HAZARDOUS POLYMERIZATION PRODUCTS: NONE  
STABILITY: STABLE CONDITIONS TO AVOID: NONE  
INCOMPATIBILITY (MATERIALS TO AVOID): NONE  
HAZARDOUS DECOMPOSITION PRODUCTS: NONE

## **SECTION XI - TOXICOLOGICAL INFORMATION**

ACUTE EFFECTS ASSOCIATED WITH USE OF THIS MATERIAL: NONE EXPECTED  
The summated LD50 is 8546.6 mg/kg.  
The summated LC50 is 99999 mg/cubic meter.  
This product is not considered to be a known or suspected human carcinogen by NTP, IARC or OSHA (see section III)

## **SECTION XII - ECOLOGICAL INFORMATION**

NO HARMFUL EFFECTS KNOWN OTHER THAN THOSE ASSOCIATED WITH SUSPENDED INERT SOLIDS IN WATER.

## **SECTION XIII - DISPOSAL CONSIDERATIONS**

RCRA HAZARD CLASS (40 CFR 261): THIS PRODUCT IS NOT CLASSIFIED AS A HAZARDOUS WASTE.  
WASTE DISPOSAL METHOD: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

## **SECTION XIV - TRANSPORTATION INFORMATION**

U.S. DOT (49 CFR 172.101): THIS IS NOT A HAZARDOUS MATERIAL AS CLASSIFIED BY CFR 172.101.

## **SECTION XV - REGULATORY INFORMATION**

CONTENTS OF THIS SDS COMPLY WITH OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910.1200  
EPA SARA TITLE III CHEMICAL LISTINGS  
NONE

SECTION 302.4 EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):  
NONE

SECTION 313 TOXIC CHEMICALS (40 CFR 372):  
ALUMINUM

INTERNATIONAL REGULATIONS

CANADIAN WHMIS: THIS PRODUCT IS A CONTROLLED PRODUCT UNDER CANADA'S WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. IT CONTAINS THE FOLLOWING TOXIC OR HIGHLY TOXIC MATERIALS:  
ALUMINUM  
FERRIC OXIDE  
GUM ARABIC  
MICA  
OCTYLPHENOXYPOLYETHOXYETHANOL  
PROPYLENE GLYCOL

SUPPLEMENTAL STATE COMPLIANCE INFORMATION:

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) LISTED UNDER NEW JERSEY'S RIGHT TO KNOW PROGRAM:  
AMMONIUM HYDROXIDE  
GUM ARABIC  
MICA  
PIGMENT RED 101  
PIGMENT WHITE 6  
SODIUM NITRATE

THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) REQUIRING NOTIFICATION TO THE STATE OF WASHINGTON UNDER THEIR CHILDREN'S SAFE PRODUCTS ACT:  
NONE

Under CPSC's consumer product regulations (16CFR1500.3 and 1500.14), this product has the following required acute and chronic hazard labeling:

NONE

## **SECTION XVI - OTHER INFORMATION**

**LAST REVISION DATE: 07/07/2015**

**Prepared by Duke OEM Toxicology**



<b>1. Identification of the Preparation and of The Company</b>	
Product Name and/or code:	Clear-Lay® Film
Effective Date:	6/26/2014
Manufacturer:	Grafix Inc. 5800 Pennsylvania Ave. Maple Heights, OH 44137 US
Information Contact:	216-581-9050 ; www.grafixarts.com
Emergency Contact:	216-581-9050.
Product Use:	Art material and Industrial use
Clear-Lay®Films :	Clear-Lay® Colored Clear-Lay® (Red, Blue, Green, Amber, Yellow)
<b>2. Hazards Identification</b>	
<i>Classification of the Product:</i>	Non-Hazardous
Regulation (EC) No. 1272/2008	Not classified as dangerous for supply/use.
Directive 67/548/EEC & Directive 1999/45/EC	Not classified as dangerous for supply/use.
Export and Import of Dangerous Chemicals Regulation	This product and its ingredients are not listed in the Annex I of the regulation.
<i>Label Elements</i>	No special requirements are applicable.
Precaution Statement:	No special requirements are applicable.
First Aid Statement	Refer to Section 4
Children's Statement	None required.
Information pertaining to particular dangers for man and environment.	This product has not been classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200)
<b>3. Composition/Information on Ingredients:</b>	
<b>Substances:</b>	Mixture
Mixture of the following chemicals:	Proprietary Ingredients
<i>Risk and Safety Phrases:</i>	
Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and according to DSD (Dangerous Substances Directive (67/548/EEC)) and DPD (Dangerous Preparations Directive (1999/45/EC)) and no workplace-related occupational exposure limits are specified for any of the listed ingredients. These ingredients are regarded as trade secrets.	
<b>4. First Aid Measures</b>	
Inhalation	If inhaled smoke from burning material, remove to fresh air.
Skin Contact	If skin has contact with molten material, place affected area under cold running water. Seek medical attention for removal of material from the affected area.
Eye Contact	If eyes have contact with molten material, rinse with plenty of water and seek immediate medical attention. If plastic fines enter the eye, rinse with water for 15 minutes and if irritation develops seek immediate medical attention if irritation develops.
<b>5. Firefighting Measures</b>	
Extinguishing Media	Water, foam, carbon dioxide or dry chemical equipment.



Flashpoint/Flammability	Films can be combusted only by remaining in contact with flame. If flame source is stationary, the film will shrink away and self-extinguish. Film remaining in contact with flame can continue to burn slowly, dropping flaming liquid which can spread the fire.
<b>6. Accidental Release Measures</b>	
Environmental precautions	None.
Methods and Materials for Containment and Cleaning up	Not applicable to this kind of material.
<b>7. Handling and Storage</b>	
Safe Handling	Avoid extremes in high temperatures that may cause melting of the product.
Storage	Store away from heat and sources of ignition. Do not store in direct sunlight. Avoid prolonged storage in high or low temperatures. Recommended storage temperatures are 20 F to 100 F (-7°C to 38°C)
<b>8. Exposure Controls/Personal Protection</b>	
Personal Protective Equipment	Avoid contact with molten material on the skin, eyes and clothing. Handle
Exposure Limits	None known.
Respiratory and Ventilation	Provide adequate ventilation.
Skin Protection	Wearing gloves may be required due to sharp edges and when film is in the molten phase.
Eye Protection	Safety glasses are recommended.
<b>9. Physical and Chemical Properties</b>	
Appearance	Solid film (sheets, rolls or pads)
Physical State	Solid
Color	Clear or various colors
Odor	Neutral
Boiling Point	Not applicable
Melting Point	> 212 F
Freezing Point	Not available
State (pH)	Not applicable
Specific Gravity	>1 (Specific Gravity for water is 1)
Viscosity	Not Known
Flashpoint	Not available
Vapor Pressure	Not applicable
Vapor Density	Not applicable
Solubility in water	Not soluble
<b>10. Stability and Reactivity</b>	
Reactivity:	Not expected to be reactive.
Chemical Stability	Product is stable in typical situation and environment.
Conditions to Avoid	Avoid extremes in high temperatures that may cause melting of the product.
Incompatible materials	Very reactive chemicals (strong acids)



Hazardous Decomposition Products	Carbon monoxide, carbon dioxide and various hydrocarbons.
<b>11. Toxicological Information</b>	
Health Effects	No specific acute health effects and no chronic health effects have been seen or are expected.
<b>12. Ecological Information</b>	
Toxicity:	Not expected to be harmful to the environment.
Aquatic toxicity	No information available.
Persistence and degradability	Not biodegradable.
Bio accumulative potential	No information available.
Mobility in soil	No information available.
Additional ecological information	No information available.
<b>13. Disposal Considerations</b>	
Dispose of all waste material in accordance with all applicable federal, state and local regulations for the disposal of aqueous polymer wastes.	
<b>14. Transport Information</b>	
UN-NUMBER	Not applicable
DOT, ADR, IMDG, IATA	Not applicable
UN proper shipping name	Not applicable
DOT, ADR, IMDG, IATA	Not applicable
Transport hazard class(es)	Not applicable
DOT, ADR, IMDG, IATA	Not applicable
Class	Not applicable
Label	Not applicable
Packing Group	Not applicable
DOT, ADR, IMDG, IATA	Not applicable
Environmental Hazards	Not applicable
Special precautions for user	Not applicable
Transport in bulk according to Annex II of Marpol73/878 and the IBC Code.	Not applicable
<b>15. Regulatory Information</b>	
Safety, health and environmental regulations/legislation specific for the substance or mixture.	
SARA	Not applicable.
Section 355 (extremely hazardous substances)	
Section 313 (Specific toxic chemical listing)	
TSCA (Toxic Substance Control Act)	All ingredients are listed.
<i>Proposition 65</i>	
Chemicals known to cause cancer	None of the ingredients are listed
Chemicals known to cause reproductive toxicity for females	None of the ingredients are listed
Chemicals known to cause reproductive toxicity for males	None of the ingredients are listed
Chemicals known to cause developmental toxicity	None of the ingredients are listed
Carcinogenicity categories	



EPA (Environmental Protection Agency)	None.
TLV (Threshold Limit Value established by ACGIH)	None.
MAK (German Maximum Workplace Concentration)	None.
NOISH-Ca (National Institute for Occupational Safety & Health)	None.
OSHA-Ca (Occupational Safety & Health Administration)	None.

**16. Other Information**

Reason for Issue: Comprehensive GHS SDS for product line  
Prepared by: Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)  
Chief Toxicologist and President  
ENVIRONMENTAL MEDICINE, INC.  
263 CENTER AVENUE  
WESTWOOD, NJ 07675  
jaegerr@envmed.com  
201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to GRAFIX, INC. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will GRAFIX, INC. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.

# SAFETY DATA SHEET

PRINT DATE : 9/15/2016

## Omni-Gel Clear Waterborne Gel

### 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Omni-Gel Clear Waterborne Gel

**PRODUCT CODE:** 0012207, 0012208

**RECOMMENDED USE:** INDUSTRIAL WATER BORNE COATING


<b>MANUFACTURER</b>	
Speedball Art Products	
2301 Speedball Road	
Statesville, NC 28677	
<b>EMERGENCY PHONE NUMBER</b>	1(800) 898-7224
<b>COMPANY PHONE NUMBER</b>	1(800) 898-7224
<b>COMPANY FAX NUMBER</b>	1(704) 838-1472
<b>COMPANY WEB-SITE</b>	<a href="http://www.SpeedballArt.com">www.SpeedballArt.com</a>

### 2. HAZARDS IDENTIFICATION

#### EMERGENCY OVERVIEW

<b>PRODUCT DEFINITION</b>	Mixture
<b>PHYSICAL APPEARANCE</b>	Colored Opaque Liquid With An Ammonia Odor
<b>OSHA HAZARDS</b>	Irritant
<b>Skin Irritation</b>	Category 2
<b>Eye Irritation</b>	Category 2A
<b>Acute Toxicity – Inhalation</b>	Category 4
<b>Acute Toxicity – Dermal</b>	Category 4
<b>Acute Toxicity – Oral</b>	Category 4

#### GHS Label Elements – Including Precautionary Statements

<b>Pictogram</b>	
<b>Signal Word</b>	WARNING
<b>Hazard Statements</b>	As Follows:
	Harmful If Swallowed – In Contact With Skin – Or If Inhaled
	Causes Skin Irritation



	Causes Serious Eye Irritation
<b>Precautionary Statements</b>	As Follows:
	Avoid Breathing Vapors And Spray
	Wash Skin Thoroughly After Handling
	Wear Protective Gloves and ANSI Z87 Compliant Eye and Face Protection
	Do Not Eat – Drink Or Smoke When Using This Product
	If In Eyes – Rinse Cautiously and Continuously With Water For 15 Minutes – Remove Contact Lenses If Present and Easy To Do – Continue Rinsing
<b>POTENTIAL HEALTH EFFECTS</b>	As Follows:
INHALATION	May Be Harmful If Inhaled
SKIN	Causes Skin Irritation
EYES	Causes Eye Irritation
INGESTION	Harmful If Swallowed.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	CAS Number
Di(propylene glycol) butyl ether	0% to 5%	29911-28-2
ESTER ALCOHOL	0% to 5%	25265-77-4

### 4. FIRST AID MEASURES

<b>GENERAL ADVICE</b> Present This Safety Data Sheet To The Treating Physician.
<b>INHALATION</b> Move The Person Into Fresh Air. If Not Breathing – Provide Artificial Respiration. Consult a Physician.
<b>SKIN CONTACT</b> Wash With Soap And Water. Consult a Physician
<b>EYE CONTACT</b> Rinse Thoroughly With Water For At Least 15 Minutes. Consult a Physician
<b>IF SWALLOWED</b> – Call Poison Control Center – Phone Number – 1-800-222-1222 Do NOT Induce Vomiting. Never Give Anything By Mouth To An Unconscious Person. Consult a Physician

### 5. FIRE FIGHTING MEASURES

<b>CONDITIONS OF FLAMMABILITY</b> Product Should Not Be Flammable Before The Water Component Evaporates. The Dry Film May Burn If Ignited With A Flame.
<b>SUITABLE EXTINGUISHING MEDIA</b> Dry Chemical, Carbon Dioxide, Water Spray, or Alcohol Resistant Foam
<b>SPECIAL PROTECTIVE EQUIPMENT FOR FIREFIGHTERS</b> Wear Self-Contained Breathing Apparatus For Fire-Fighting
<b>HAZARDOUS COMBUSTION PRODUCTS</b> Hazardous Combustion Products Formed Under Fire Conditions – Carbon Oxides,

**6. ACCIDENTAL RELEASE MEASURES****PERSONAL PRECAUTIONS**

Use Personal Protective Equipment. Evacuate Personnel To Safe Areas. Avoid Breathing Vapors, Gases, and Aerosols. Remove All Sources of Ignition. Insure There Is Adequate Ventilation.

**ENVIRONMENTAL PRECAUTIONS**

Prevent Further Leakage Or Spillage If Safe To Do So. Do NOT Let The Product Enter Drains. Discharge Of The Product Into The Environment Must Be Avoided.

**METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP**

Contain Spillage, and Then Collect With a NFPA Class 1, Div 1 Electrically Protected Vacuum Cleaner or By Wet-Brushing – And Then Place In A Suitable Container For Disposal According To Local, County, State and Federal Regulations (See Section 13).

**7. HANDLING AND STORAGE****PRECAUTIONS FOR SAFE HANDLING**

Avoid Contact With Skin and Eyes. Avoid Inhalation of Vapor, Gas and Aerosols. Transfer Only To Approved Containers With Complete And Appropriate Labeling. Do Not Take Internally. Keep Out Of The Reach Of Children.

**CONDITIONS FOR SAFE STORAGE**

Keep Container Tightly Closed When Not In Use. Containers Which Are Opened Must Be Carefully Resealed And Kept Upright To Prevent Leakage.

**8. EXPOSURE CONTROLS\PERSONAL PROTECTION****Components With Workplace Control Parameters**

<b>COMPONENTS – WORKPLACE EXPOSURE LIMITS</b>	<b>CAS NUMBER</b>	<b>VAPOR PRESSURE mm Hg</b>	<b>@ TEMP</b>	<b>WEIGHT PERCENT</b>
Di(propylene glycol) butyl ether TLV = N/E PEL = N/E	29911-28-2	.1mm	68 F	0% to 5%
ESTER ALCOHOL TLV= Not Established PEL= Not Established	25265-77-4	0.004	68 F	0% to 5%

<b>ENGINEERING CONTROLS</b>	Use Only With Adequate Ventilation.
<b>RESPIRATORY PROTECTION – PERSONAL PROTECTIVE EQUIPMENT</b>	Where Risk Assessment Show Air-Purifying Respirators Are Required – Use A Full-Face Respirator With An Organic Vapor Respirator Cartridge. If The Respirator Is The Sole Means of Protection – Use A Full-Face Air Supplied Respirator. Use Respirators and Components That Are Fitted, Tested, and Approved Under Appropriate Government Standards – Such As NIOSH or ANSI Z87

<b>HAND PROTECTION</b>	Handle With Gloves. Gloves Must Be Inspected Prior To Use. Use Proper Glove Removal Technique (Without Touching Glove's Outer Surface) To Avoid Skin Contact With This Product. Dispose of Contaminated Gloves After Use In Accordance With Applicable Law And Good work Practices. Wash And Dry Hands.
<b>EYE PROTECTION</b>	Wear Tightly Fitting Safety Goggles. Use Equipment For Eye Protection That Has Been Tested And Approved Under Appropriate Government Standards Such As NIOSH or ANSI Z87.
<b>SKIN AND BODY PROTECTION – FULL BODY COVERING</b>	A Full Body Covering Suit For Protection Against The Chemical Components Listed In Section 3.
<b>HYGIENE MEASURES</b>	The Product Must Be Handled In Accordance With Good Hygiene And Safety Practices. Wash The Hands Before Breaks And At The End Of The Workday. Do Not Smoke, Eat, Drink, Or Apply Cosmetics When Working With This Product.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

<b>PHYSICAL STATE</b>	Liquid	<b>COLOR</b>	Opaque And Colored
<b>ODOR</b>	Ammonia Odor	<b>pH</b>	8.5 – 10.5
<b>ODOR THRESHOLD</b>	No Data	<b>MELTING/FREEZING POINT</b>	≤ 32°F
<b>FLASH POINT METHOD</b>	Not Applicable	<b>BOILING POINT</b>	212-400°F
<b>LOWER EXPLOSION LIMIT</b>	Not Applicable	<b>UPPER EXPLOSION LIMIT</b>	Not Applicable
<b>EVAPORATION RATE</b>	Slower Than Ether	<b>VAPOR DENSITY</b>	Heavier Than Air
<b>VAPOR PRESSURE</b>	No Data	<b>WATER SOLUBILITY ORGANIC SOLVENTS</b>	Water Dispersible
<b>DECOMPOSITION TEMPERATURE</b>	No Data	<b>AUTO-IGNITION TEMPERATURE</b>	No Data
<b>PARTITION COEFFICIENT: n-OCTANOL</b>	No Data	<b>VISCOSITY</b>	No Data
<b>DENSITY (LBS/GAL)</b>	8.60	<b>%VOLATILES BY VOLUME</b>	55.89
<b>%NON-VOLATILES BY WEIGHT</b>	46.43	<b>COATING VOC (LBS/GAL)</b>	1.15
<b>MATERIAL VOC (LBS/GAL)</b>	0.59		

## 10. STABILITY AND REACTIVITY

### CHEMICAL STABILITY

Stable Under Normal Conditions of Use and Storage.

<b>POSSIBILITY OF HAZARDOUS REACTIONS</b>
None Known
<b>CONDITIONS TO AVOID</b>
Keep Away From Heat And Live Conductors
<b>INCOMPATIBILITY</b>
Avoid Strong Oxidizing Agents – Peroxides, Dichromates, Permanganates, Chlorine, Strong Acids, Caustics, and Halogens. Avoid Contact With Active Metals – Aluminum, Zinc, Etc.
<b>HAZARDOUS DECOMPOSITION OR BYPRODUCTS</b>
Combustion May Produce Carbon Oxides, and Reactive Hydrocarbons – (aldehydes, aromatics, etc.)
<b>HAZARDOUS POLYMERIZATION</b>
Will Not Occur
<b>REACTIVITY</b>
No Specific Test Data Related To Reactivity Available For This Product

**11. TOXICOLOGICAL INFORMATION**

<b>ACUTE TOXICITY</b>		As Follows:
	<b>Oral LD50</b>	No Data
	<b>Inhalation LC50</b>	No Data
	<b>Dermal LD50</b>	No Data
	<b>Other Information</b>	No Data
<b>SKIN CORROSION/IRRITATION</b>		No Data
<b>SERIOUS EYE DAMAGE/EYE IRRITATION</b>		No Data
<b>RESPIRATORY OR SKIN SENSITIZATION</b>		No Data
<b>GERM CELL MUTAGENICITY</b>		No Data
<b>CARCINOGENICITY</b>		As Follows:
	<b>IARC</b>	No Component of This Product Present At Levels Greater Than Or Equal to 0.1% Is Identified As a Known Or Anticipated Carcinogen By IARC
	<b>NTP</b>	No Component of This Product Present At Levels Greater Than Or Equal to 0.1% Is Identified As a Known Or Anticipated Carcinogen By NTP
	<b>OSHA</b>	No Component of This Product Present At Levels Greater Than Or Equal to 0.1% Is Identified As a Known Or Potential Carcinogen By OSHA
<b>REPRODUCTIVE TOXICITY</b>		No Data
<b>TERATOGENICITY</b>		No Data
<b>SPECIFIC TARGET ORGAN TOXICITY</b>		As Follows:
	<b>Single Exposure</b>	No Data
	<b>Repeated Exposure</b>	No Data
<b>ASPIRATION HAZARD</b>		No Data

<b>POTENTIAL HEALTH EFFECTS</b>		As Follows:
	<b>Inhalation</b>	May Be Harmful If Inhaled. Causes Respiratory Tract Irritation
	<b>Ingestion</b>	Harmful If Swallowed
	<b>Skin</b>	May Cause Skin Irritation
	<b>Eyes</b>	May Cause Eye Irritation
<b>SIGNS AND SYMPTONS OF EXPOSURE</b>		To The Best of Our Knowledge – the Chemical, Physical, and Toxicological Properties Have Not Been Thoroughly Investigated
<b>SYNERGISTIC EFFECTS</b>		No Data
<b>ADDITIONAL INFORMATION</b>		RTECS: Not Available

## 12. ECOLOGICAL INFORMATION

<b>TOXICITY</b> No Data
<b>PERSISTANCE AND DEGRADABILITY</b> No Data
<b>BIOACCUMULATIVE POTENTIAL</b> No Data
<b>MOBILITY IN SOIL</b> No Data
<b>PBT AND vPvB ASSESSMENT</b> No Data
<b>OTHER ADVERSE EFFECTS</b> An Environmental Hazard Cannot Be Excluded in the Event of Unprofessional Handling or Disposal –

## 13. DISPOSAL CONSIDERATIONS

<b>PRODUCT</b> Burn In a Chemical Incinerator At An Approved Facility. Do Not Incinerate A Closed Container. Dispose Of In Accordance With Federal, State And Local Regulations As Regarding Polution.
<b>CONTAMINATED PACKAGING</b> Dispose of In The Same Manner As Unused Product.

## 14. TRANSPORT INFORMATION

<b>DOT</b>		
	<b>UN Number: 1263</b>	Not Regulated – Non-Flammable Liquid
	<b>Proper Shipping Name</b>	Water-Borne Coating
	<b>Article</b>	149980
	<b>Emergency Phone</b>	1(800)633-8253

## 15. REGULATORY INFORMATION

**OSHA HAZARDS**

Skin And Eye Irritant.

**SARA 302 COMPONENTS**

No Chemicals In This Material Are Subject To The Reporting Requirements of SARA Title III, Section 302

**SARA 313 COMPONENTS**

The Following Components Are Subject to Reporting Levels Established By SARA Title III, Section 313

N/A


**SARA 311/312 HAZARDS**

Fire Hazard, Acute Health Hazard, Chronic Health Hazard

## 16. OTHER INFORMATION

HMIS RATING	
Health :	1
Flammability :	0
Reactivity :	0
Personal Protection :	H

### NFPA CODES



### DISCLAIMER

The information, recommendations and suggestions herein were compiled from reference material and other sources believed to be reliable. However, the SDS's accuracy or completeness is not guaranteed by Speedball Art Products nor is any responsibility assumed or implied for any loss or damage resulting from inaccuracies or omissions. Since conditions of use are beyond our control, no warranties of merchantability or fitness for a particular purpose are expressed or implied. This SDS is not intended as a license to operate under, or recommendation to infringe on, any patents. Appropriate warnings and safe handling procedures should be provided to handlers and users.

<b>PRINT DATE :</b>	9/15/2016
<b>FORMULA REV. DATE :</b>	04-06-15